

Price List

JUMP TO PRICING [CLICK HERE](#)

TABLES



VERSTEEL


Tops

The 1 1/4" rectangle tops are available in laminate or veneer.

Laminate and Veneer, Standard Core Construction

The standard top construction consists of 45-50 lb particleboard, surfaced with a high pressure laminate or plain sliced veneer face. A backer sheet is laminated to the underside of the top. Tops are shipped with understructure attached.

PVC Flat or Fluted Edge - 1 1/4"


Edge of 2mm PVC hot melt banded to the top with 1/8" radius at the top and bottom. Available with 1 1/2" radius corners or square corners.



Offered in twenty-one (21) standard colors.

Wood Flat or Fluted Edge - 1 1/4"


Wood banding hot melt banded to the top with 1/8" radius at the top and bottom. Available with 1 1/2" radius corners or square corners.



Offered in Ash, Cherry, Maple or Walnut materials.

Table Height

Table height is 30" tall.

Casters and Glides

Tables can be ordered with two locking and two non-locking 3" hollow wheel black casters or with adjustable nylon glides.

Modesty Panel Options

Troupe Inline tables are available with no modesty panel, a slotted modesty panel or a smooth modesty panel.

Leg Accent

As an added feature all Troupe Inline legs have a metal accent piece. This appealing design aesthetic allows the designer or specifier to specify one color for a monochromatic look or select two coordinating powder coat colors enhancing the design beauty of the table.

Shipping Schedule**Standard Items**

Laminate, PVC Edge	3-5 WEEKS
Laminate, Wood Edge	3-5 WEEKS
Veneer, Wood Edge	6-8 WEEKS

Contact Versteel for special lead time requests.

Quality Standards

All Versteel table bases are constructed to pass the industry test standards set forth by BIFMA. For more detailed specifications by series and base style, contact Versteel Customer Service at 800.876.2120.

BIFMA
Manufacturer certifies
that products meet or
exceed applicable
ANSI/BIFMA standards
and testing.


Additional information regarding warranty, terms and conditions, shipping, care and maintenance, etc. can be found in the All Tables price list.

To Order, Specify...

- 1 Model Number, include top and edge style
- 2 Top Material
 - a. Laminate manufacturer and color
 - b. Veneer species and finish color
- 3 Edge Color
- 4 Leg Color
- 5 Accent Color
- 6 Modesty Color
- 7 Additional Options

base model							finish selections							options				
TP	IC	2448	RE	FX	XD	LP2S	/	TW D354-60	/	CSNO	/	PSNO	/	PALY	/	PALY	/	---
series	base style	top size	top shape	table function	modesty function	top, edge & corner		top laminate manufacturer & laminate color		edge color		leg color		accent color		modesty color		option(s)
A TPIC 2448REFX XD LP2S is a Troupe series 24" x 48" rectangle table with fixed inline bases, a fixed slotted modesty panel and a laminate 1 1/4" thick top with a flat PVC edge and square corners.							The codes TW D354-60 / CSNO / PSNO / PALY specify Wilsonart D354-60 Designer White laminate, Snow PVC edge, Snow legs, Alloy accent color, and Alloy modesty color.											

Model Number TPIC 2448REFX XD



Orders may be sent via

Mailing Address

Versteel
2332 Cathy Lane
Jasper IN 47546

Contact Versteel

Email contact@versteel.com
Phone 800 876 2120
812 634 2120
Fax 812 482 9318

Laminate

Versteel's standard offering of laminates includes over 900 laminates from Formica, Nevamar, Pionite and Wilsonart.

Laminate manufacturers change standard offerings frequently, making it possible a standard product can become unavailable. Versteel cannot be responsible for any inconvenience this may cause.

Veneer

Troupe tables are available with plain sliced Ash, Cherry, Maple and Walnut veneers.

Veneer Species

Ash	AP01	Maple.	MP01
Cherry	CP01	Walnut	WP01

Veneer Finish

Ash

Beach.	VBEA	Fog	VFOG
Chestnut.	VCHE	Pebble	VPEB
Drift	VDRI	Whisper	VVHI
Fawn	VFAW		

Cherry

Blossom Cherry	VBLC	Java Cherry.	VJAC
Cordovan Cherry	VCNC	Millwork Cherry.	VMWC
Golden Cherry	VGNC		

Maple

Caramel Maple	VCMM	Sugar Maple	VSUM
Solar Maple.	VSLM		

Walnut

Brighton Walnut	.VBRW	Natural Walnut.	VNAW
Espresso Walnut.	.VESW		

PVC Edge Colors

Absolute Acajou	.CABA	Pearl	.CPEA
Alloy.	.CALY	Platinum	.CPLA
Carbon.	.CCAR	Pralines & Cream	.CPRC
Champagne	.CCHA	Shadow	.CSHA
Coconut	.CCOC	Snow	.CSNO
Ebony.	.CEBO	Stone	.CSTO
Florence Walnut	.CFLW	Storm.	.CSTM
Fossil	.CFOS	Whisper	.CWHI
Grahitte	.CGRA	White Linen	.CWHL
Grey.	.CGRE		
Kensington Maple.	.CKEM		
Nimbus.	.CNIM		

Wood Edge Species

Ash	.A01	Maple.	M01
Cherry	.C01	Walnut	W01

Wood Edge Finishes

Ash

Beach.	VBEA	Fog	VFOG
Chestnut.	VCHE	Pebble	VPEB
Drift	VDRI	Whisper	VVHI
Fawn	VFAW		

Cherry

Blossom Cherry	VBLC	Java Cherry.	VJAC
Cordovan Cherry	VCNC	Millwork Cherry.	VMWC
Golden Cherry	VGNC		

Maple

Caramel Maple	VCMM	Sugar Maple	VSUM
Solar Maple.	VSLM		

Walnut

Brighton Walnut	VBRW	Natural Walnut.	VNAW
Espresso Walnut.	VESW		

Powder Coat Finishes

All powder coat finishes in the Versteel offering have been formulated with the use of epoxy, polyester or epoxy and polyester blends to maximize the finish durability.

Powder Coat Finish Options

Powder Coat - Standard	n/c
Powder Coat - Premium (Hope).	\$158
Powder Coat - Premium (Platinum)	\$469

Powder Coat Colors

Alloy.	.PALY	Navy	.PNAV
Amethyst	.PAME	Nimbus.	.PNIM
Anthracite.	.PANT	Nutmeg	.PNUT
Black Anodized.	.PBLA	Pearl	.PPEA
Bronze	.PBRO	Pebble	.PPEB
Calypso	.PCAL	Platinum	.PPLA
Carbon.	.PCAR	Poppy.	.PPOP
Champagne	.PCHA	Royal	.PROY
Coconut	.PCOC	Seaside	.PSEA
Crimson	.PCRI	Shipyard	.PSHI
Daffodil.	.PDAF	Silver	.PSIL
Ebony.	.PEBO	Snow	.PSNO
Forest.	.PFOR	Stone	.PSTO
Fossil	.PFOS	Storm.	.PSTM
Graphite	.PGRA	Terra Cotta	.PTEC
Hope	.PHOP	Whisper	.PWHI
Kelly Green	.PKEG	White Linen	.PWHL
Mica.	.PMIC	Powder Coat Alternative .	.OPA
Mint	.PMNT		

Premium Powder Coats (indicated by 🍷)

Versteel's premium process uses specially formulated powder coats for a truly unique color palette.

Chrome

Versteel applies a deep luster chrome plated finish. Chrome is the most durable finish available. Specify Chrome and add \$158 list per table. Chrome is not available on the accent or modesty panels.

Chrome ECHR

Nickel

Versteel applies a nickel plated finish with a clear coat applied for durability. Specify Nickel and add \$214 list per table. Nickel is not available on the accent or modesty panels.

Nickel ENKL

Powder Coat Alternative**Call for quotation**

Specify code **OPA** (Powder Coat Alternative), add cost from Versteel quotation

Powder Coat Alternative is available from Versteel. The entire RAL color reference along with hundreds of other color and finishes are available.

For Powder Coat Alternative matching, you must supply a color reference sample, or an RAL number. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match can be developed. Call Versteel Customer Service for associated upcharges on custom color development.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Special Laminate**Call for quotation**

Specify code **TSP** (Special Laminate), indicate the quoted charges per table

Special laminates and patterns can be specified as an option on Troupe. To specify, contact Versteel for availability and pricing.

NOTE LAMINATES IN STANDARD COLORS AND TEXTURES FROM FORMICA, NEVAMAR, PIONITE AND WILSONART ARE STANDARD

CAUTION LAMINATE MANUFACTURERS CHANGE STANDARD OFFERINGS FREQUENTLY, AND IT IS POSSIBLE THAT A STANDARD PRODUCT CAN BECOME UNAVAILABLE. VERSTEEL CANNOT BE RESPONSIBLE FOR ANY INCONVENIENCE THIS MAY CAUSE.

Custom PVC Color Match**Call for quotation / one time charge per color, per order**

Specify code **OCF** (Custom PVC Color Match), add cost from Versteel quotation

PVC Color Match can be the selection of a color that is available from a Versteel supplier or a new custom color developed for the order. Minimum footage requirements mean that the amount of material needed for your order will effect the cost.

For PVC Color Matching you must supply a color reference sample. Versteel will review the sample for possible existing colors available and send a sample for customer approval. If no color match exists, a custom match will be developed and sampled for customer approval before a production schedule is established.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Stain Finish Match**\$957 / one time charge per finish, per order**

Specify code **OSM** (Stain Finish Match), add \$957.00 list per finish, per order

Alternative Stain Finishes are available for veneer and wood edged tops.

For Stain Finish Matching you must supply two 4" x 4" finish color and grain reference samples. An expertly finish matched sample will be provided for customer approval.

NOTE CUSTOM COLOR MATCHING APPROVALS MAY AFFECT STANDARD PRODUCTION SCHEDULES

Veneer or Wood Edge Alternatives

For veneer or wood edge requirements other than our standard plain sliced Ash, Cherry, Maple or Walnut, contact Versteel Customer Service with the specifications of the materials you would like to specify.

NOTE VENEER OR WOOD EDGE ALTERNATIVES APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Wood Finish Alternatives

Versteel finish has a natural grain fill level finish appearance, contact Versteel Customer Service for alternative fill levels. Coarse grain will require additional application steps for a full-fill grain appearance and will require a quote.

NOTE WOOD FINISH ALTERNATIVE APPROVAL MAY AFFECT STANDARD PRODUCTION SCHEDULES

Table Top Alternatives

Table tops can be produced in alternative top material if desired. Contact Versteel Customer Service for pricing and availability.

Alternate Core Construction

Alternate core constructions are available, including medium density fiberboard (MDF), honeycomb cores and cores that contain no urea formaldehyde. Contact Versteel Customer Service for pricing and availability.

Henri - \$330 / unit
Specify code **PH_** (Henri - Quantity_),
add \$330.00 list per Henri

The pop-up Henri electrical unit(s) is factory installed in the specified location. Perfect for single table applications.

- SPECIFICATIONS
- One 9' cord, one 15 amp circuit, standard grounded plug
 - Surge protection
 - Two electrical outlets per unit



NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 23-37

NOTE FOR HENRI VOICE AND DATA JACK OPTIONS SEE PAGE 18



1 Henri - Location A
\$330 / table
Specify code **PHA** (1 Henri - Location A),
add \$330.00 list per table

One pop-up Henri electrical unit is factory installed in the front center location of the top.

NOTE LOCATION A HENRI UNITS NOT AVAILABLE ON 72" LENGTH TIM RECTANGLES AND ARC RECTANGLES



2 Henris - Location D
\$660 / table
Specify code **PHD** (2 Henris - Location D),
add \$660.00 list per table

Two pop-up Henri electrical units are factory installed in the front corner locations of the top.

NOTE LOCATION D HENRI UNITS NOT AVAILABLE ON 42" & 48" LENGTH TIM RECTANGLES AND ARC RECTANGLES



2 Henris - Location E
\$660 / table
Specify code **PHE** (2 Henris - Location E),
add \$660.00 list per table

Two pop-up Henri electrical units are factory installed in the front outer corner locations of the top.

Table link - ends only is included with henri and powerlink electrical package options selection. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Henri Now linking systems require an **HNPU** power supply unit per each sequence. Specify code HNPU, \$432.00 list each.

- 120" cord length
- 15 amp circuit
- standard grounded plug
- surge protection



Henri Now - \$319 / unit
Specify code **PHN_** (Henri Now - Location_),
add \$319.00 list per Henri Now

The pop-up Henri Now electrical unit(s) is factory installed in the specified location. Recommended for multiple table applications. May be sequenced in any order.

- SPECIFICATIONS
- Surge protection
 - Two electrical outlets per unit
 - Requires HNPU power supply

NOTE FOR MORE PLANNING AND ORDERING DETAIL INFORMATION SEE ELECTRICAL PLANNING SECTION PAGES 23-37

NOTE FOR HENRI NOW VOICE AND DATA JACK OPTIONS SEE PAGE 18

NOTE HENRI NOW SOFT WIRED LINKED SYSTEMS DO NOT WORK WITH GFCI RECEPTACLES. CONTACT VERSTEEL CUSTOMER SERVICE FOR ADDITIONAL INFORMATION



1 Henri Now - Location A
\$319 / table
Specify code **PHNA** (1 Henri Now - Location A),
add \$319.00 list per table

One pop-up Henri Now electrical unit is factory installed in the front center location of the top.

NOTE LOCATION A HENRI NOW UNITS NOT AVAILABLE ON 72" LENGTH TIM RECTANGLES AND ARC RECTANGLES



2 Henri Nows - Location D
\$638 / table
Specify code **PHND** (2 Henri Nows - Location D),
add \$638.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front corner locations of the top.

NOTE LOCATION D HENRI NOW UNITS NOT AVAILABLE ON 42" & 48" LENGTH TIM RECTANGLES AND ARC RECTANGLES



2 Henri Nows - Location N
\$638 / table
Specify code **PHNN** (2 Henri Nows - Location N),
add \$638.00 list per table

Two pop-up Henri Now electrical units are factory installed in the front outer corner locations of the top.

Axil Z IP (Individually Powered)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in Locations A, D or N

Model	Description	
AXZ-IP-2-0	Two (2) power and no data	\$ 400 list
AXZ-IP-2-2	Two (2) power and two (2) open ports	\$ 409 list
AXZ-IP-2-4	Two (2) power and four (4) open ports	\$ 418 list
AXZ-IP-2-6	Two (2) power and six (6) open ports	\$ 427 list
AXZ-IP-3-1	Three (3) power and one (1) open port	\$ 424 list
AXZ-IP-3-3	Three (3) power and three (3) open ports	\$ 432 list
AXZ-IP-3-5	Three (3) power and five (5) open ports	\$ 441 list
AXZ-IP-4-0	Four (4) power and no open ports	\$ 526 list
AXZ-IP-4-2	Four (4) power and two (2) open ports	\$ 534 list
AXZ-IP-4-4	Four (4) power and four (4) open ports	\$ 541 list

Unit Color

MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$ 137 list
MBBA	Matte Black Faceplate, Black Trim	\$ 137 list
MSBA	Matte Storm Faceplate, Black Trim	\$ 137 list
MFBA	Matte Fog Faceplate, Black Trim	\$ 137 list
GWBA	Gloss White Faceplate, Black Trim	\$ 137 list
GBBA	Gloss Black Faceplate, Black Trim	\$ 137 list
SVBA	Silver Faceplate, Black Trim	\$ 137 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 20 list

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires 1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Axil Z SL2 (Soft-Wired, Linked)

Constructed out of anodized aluminum with a painted, steel faceplate, Axil Z is a robust, scalable and customizable power/data solution.

SPECIFICATIONS

- Mounts flat, sitting just above worksurface
- Requires cutout in worksurface
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in Locations A, D or N
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
AXZ-SL2-2-0	Two (2) power and no data	\$ 411 list
AXZ-SL2-2-2	Two (2) power and two (2) open ports	\$ 422 list
AXZ-SL2-2-4	Two (2) power and four (4) open ports	\$ 431 list
AXZ-SL2-2-6	Two (2) power and six (6) open ports	\$ 439 list
AXZ-SL2-3-1	Three (3) power and one (1) open port	\$ 436 list
AXZ-SL2-3-3	Three (3) power and three (3) open ports	\$ 446 list
AXZ-SL2-3-5	Three (3) power and five (5) open ports	\$ 454 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT

Unit Color

MWCA	Matte White Faceplate, Clear Al Trim	n/c
MBCA	Matte Black Faceplate, Clear Al Trim	n/c
MSCA	Matte Storm Faceplate, Clear Al Trim	n/c
MFCA	Matte Fog Faceplate, Clear Al Trim	n/c
GWCA	Gloss White Faceplate, Clear Al Trim	n/c
GBCA	Gloss Black Faceplate, Clear Al Trim	n/c
SVCA	Silver Faceplate, Clear Al Trim	n/c
MWBA	Matte White Faceplate, Black Trim	\$ 137 list
MBBA	Matte Black Faceplate, Black Trim	\$ 137 list
MSBA	Matte Storm Faceplate, Black Trim	\$ 137 list
MFBA	Matte Fog Faceplate, Black Trim	\$ 137 list
GWBA	Gloss White Faceplate, Black Trim	\$ 137 list
GBBA	Gloss Black Faceplate, Black Trim	\$ 137 list
SVBA	Silver Faceplate, Black Trim	\$ 137 list

Power Infeed

BPS2-72	72" cord length, black	\$ 545 list
BPS2-120	120" cord length, black	\$ 563 list
BPS2-180	180" cord length, black	\$ 595 list

NOTE 8 UNITS PER 1 BPS

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$ 144 list
------	---	-------------

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires 1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: AXZ-SL2-2-0-GWCA

Troupe Inline

Power & Data Options
Ellora

VERSTEEL

Ellora IP (Individually Powered)

Anodized aluminum construction and smart design keep cable clutter out of sight.

NOTE ELLORA UNITS ARE NOT RECOMMENDED ON TILTING TABLES

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in Location A
- Requires cutout in worksurface



Model	Description	
ELL-IP-2-0	Two (2) power and no data	\$ 626 list
ELL-IP-2-2	Two (2) power and two (2) open ports	\$ 639 list
ELL-IP-2-4	Two (2) power and four (4) open ports	\$ 646 list
ELL-IP-2-6	Two (2) power and six (6) open ports	\$ 661 list
ELL-IP-3-1	Three (3) power and one (1) open port	\$ 655 list
ELL-IP-3-3	Three (3) power and three (3) open ports	\$ 667 list
ELL-IP-3-5	Three (3) power and five (5) open ports	\$ 677 list
ELL-IP-4-0	Four (4) power and one (1) open port	\$ 815 list
ELL-IP-4-2	Four (4) power and two (2) open ports	\$ 825 list
ELL-IP-4-4	Four (4) power and four (4) open ports	\$ 837 list

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$ 197 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 20 list

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires (1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: AXZ-IP-4-2-GWCA-72-DA-DA

Ellora SL2 (Soft-Wired, Linked)

Smart design keeps cable clutter out of sight by allowing use while the lid is shut.

SPECIFICATIONS

- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in Location A
- Requires cutout in worksurface
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)



Model	Description	
ELL-SL2-2-0	Two (2) power and no data	\$ 639 list
ELL-SL2-2-2	Two (2) power and two (2) open ports	\$ 655 list
ELL-SL2-2-4	Two (2) power and four (4) open ports	\$ 683 list
ELL-SL2-2-6	Two (2) power and six (6) open ports	\$ 711 list
ELL-SL2-3-1	Three (3) power and one (1) open port	\$ 651 list
ELL-SL2-3-3	Three (3) power and three (3) open ports	\$ 678 list
ELL-SL2-3-5	Three (3) power and five (5) open ports	\$ 708 list

NOTE SOFT-WIRED, LINKED UNITS CAN HAVE A MAXIMUM OF 3 POWER OUTLETS AND 1 DUAL PORT USB CHARGING MODULE PER UNIT

Unit Color

SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAABT	Silver Anodized Aluminum with Black Trim	n/c
BAABT	Black Anodized Aluminum with Black Trim	\$ 197 list

Power Infeed

BPS2-72	72" cord length, black	\$ 545 list
BPS2-120	120" cord length, black	\$ 563 list
BPS2-180	180" cord length, black	\$ 595 list

NOTE 8 UNITS PER 1 BPS

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$ 144 list
------	---	-------------

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires (1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: ELL-SL2-2-0-SAABT

Mho IP (Individually Powered)

Retractable and durably constructed. Highly functional with a fluid, one touch door that remains open during use.

SPECIFICATIONS

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in locations A, D or N

Model	Description	
MHO-IP-2-0	Two (2) power and no data	\$ 537 list
MHO-IP-2-2	Two (2) power and two (2) open ports	\$ 546 list
MHO-IP-2-4	Two (2) power and four (4) open ports	\$ 559 list
MHO-IP-2-6	Two (2) power and six (6) open ports	\$ 569 list
MHO-IP-3-1	Three (3) power and one (1) open port	\$ 626 list
MHO-IP-3-3	Three (3) power and three (3) open ports	\$ 640 list
MHO-IP-3-5	Three (3) power and five (5) open ports	\$ 641 list
MHO-IP-4-0	Four (4) power and no open ports	\$ 699 list
MHO-IP-4-2	Four (4) power and two (2) open ports	\$ 709 list
MHO-IP-4-4	Four (4) power and four (4) open ports	\$ 720 list

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$ 197 list

Cord Length

72	72" cord length, black	n/c
120	120" cord length, black	\$ 20 list

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires 1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: MHO-IP-3-3-SAABT-72-UI-DA-DA

Mho SL2 (Soft-Wired, Linked)

Retractable and durably constructed. Highly functional with a fluid one touch door that remains open during use.

**SPECIFICATIONS**

- Fluid, one touch accessibility
- Includes a voice/data adapter kit to accept couplers and jacks when required
- Available in locations A, D or N
- Maximum of 8 units in sequence
- Interlink iQ 2.0 (not compatible with units sold prior to 2/1/19)

Model	Description	
MHO-SL2-2-0	Two (2) power and no data	\$ 557 list
MHO-SL2-2-2	Two (2) power and two (2) open ports	\$ 567 list
MHO-SL2-2-4	Two (2) power and four (4) open ports	\$ 580 list
MHO-SL2-2-6	Two (2) power and six (6) open ports	\$ 589 list
MHO-SL2-3-1	Three (3) power and one (1) open port	\$ 651 list
MHO-SL2-3-3	Three (3) power and three (3) open ports	\$ 662 list
MHO-SL2-3-5	Three (3) power and five (5) open ports	\$ 674 list

Unit Color

SAABT	Silver Anodized Aluminum with Black Trim	n/c
SAAWT	Silver Anodized Aluminum with White Trim	n/c
SAA	Silver Anodized Aluminum	n/c
BAA	Black Anodized Aluminum	\$ 197 list

Power Infeed

BPS2-72	72" cord length, black	\$ 545 list
BPS2-120	120" cord length, black	\$ 563 list
BPS2-180	180" cord length, black	\$ 595 list

NOTE 8 UNITS PER 1 BPS

Jumper

BEJ2	Standard jumper included with tables up to and including 60". BEJ2 jumper required for tables greater than 60".	\$ 144 list
------	---	-------------

USB Charging Options (Total cannot exceed 80 watts)

UAC	One (1) USB A + USB C charging module (requires 1 open port)	\$ 146 list
UAC2	Two (2) USB A + USB C charging modules (requires 2 open ports)	\$ 292 list
UC	One (1) high power smart dual USB C charging module (requires 1) one port)	\$ 311 list

Data Option (Each data jack requires 1 open port)

DA	Cat6 RJ45 data jack w/ 10' patch cord	\$ 93 list
HD	HDMI jack	\$ 105 list
MS	3.5mm mini-stereo audio jack	\$ 30 list
US	USB passive jack	\$ 68 list
VG	VGA jack, 15 pin	\$ 131 list
VO	Cat3 RJ11 voice jack w/ 7' patch cord	\$ 43 list

Model Example: MHO-SL2-2-0-SAAWT

Tables specified with linked units require table link. The table link will prevent the accidental disconnection of power supply to adjacent tables.

Round Grommet - \$73 / each
Specify code **WR_** (Round Grommet - Location _),
add \$73.00 list per grommet

- SPECIFICATIONS
- 3" diameter
 - 2 1/4" inside dimension
 - 2-piece black insert
 - Factory installed in specified location



Oval Brush Grommet - \$93 / each
Specify code **WO_** (Round Grommet - Location _),
add \$93.00 list per grommet

- SPECIFICATIONS
- 3" x 7 1/2" oval
 - Black brush insert cord access
 - 1 1/2" x 4" inside dimension
 - Factory installed in specified location



1 Grommet - Location A
Round Grommet - Specify code **WRA**,
add \$73.00 list per table
Oval Brush Grommet - Specify code **WOA**,
add \$93.00 list per table



1 grommet is factory installed in the front center location of the top.

1 Grommet - Location B
Round Grommet - Specify code **WRB**,
add \$73.00 list per table
Oval Brush Grommet - Specify code **WOB**,
add \$93.00 list per table



1 grommet is factory installed in the front left corner location of the top.

1 Grommet - Location C
Round Grommet - Specify code **WRC**,
add \$73.00 list per table
Oval Brush Grommet - Specify code **WOC**,
add \$93.00 list per table



1 grommet is factory installed in the front right corner location of the top.

2 Grommets - Location D
Round Grommet - Specify code **WRD**,
add \$146.00 list per table
Oval Brush Grommet - Specify code **WOD**,
add \$186.00 list per table



2 grommets are factory installed in the front center locations of the top.

2 Grommets - Location E
Round Grommet - Specify code **WRE**,
add \$146.00 list per table
Oval Brush Grommet - Specify code **WOE**,
add \$186.00 list per table



2 grommets are factory installed in the front corner locations of the top.

1 Grommet - Provide Location Print
Round Grommet - Specify code **WRG**,
add \$73.00 list per table
Oval Brush Grommet - Specify code **WOG**,
add \$93.00 list per table



1 grommet is factory installed in the top location based on specifier's print.





Questions?

800 876 2120

top >
edge >edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >
top thickness price >

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate Wood	Veneer Wood
	No Modesty			Flat  LP2R or LP2S 1 1/4"	Flat  LW2R or LW2S 1 1/4"	Flat  VW2R or VW2S 1 1/4"
	20 x 48 Fix	TPIC 2048REFX	72	1518	2010	3677
	20 x 60 Fix	TPIC 2060REFX	90	1695	2269	3970
	20 x 72 Fix	TPIC 2072REFX	102	1795	2452	4246
	24 x 48 Fix	TPIC 2448REFX	82	1540	2032	3710
	24 x 60 Fix	TPIC 2460REFX	102	1719	2292	4004
	24 x 72 Fix	TPIC 2472REFX	115	1817	2474	4279
	30 x 48 Fix	TPIC 3048REFX	97	1640	2174	3874
	30 x 60 Fix	TPIC 3060REFX	120	1772	2388	4075
	30 x 72 Fix	TPIC 3072REFX	135	1944	2639	4345
	Slotted Metal Modesty			Fluted  LPF2R or LPF2S 1 1/4"	Fluted  LWF2R or LWF2S 1 1/4"	Fluted  VWF2R or VWF2S 1 1/4"
	20 x 48 Fix w/FixSlottedMetalMod	TPIC 2048REFX XD	78	1738	2230	3897
	20 x 60 Fix w/FixSlottedMetalMod	TPIC 2060REFX XD	98	1968	2542	4243
	20 x 72 Fix w/FixSlottedMetalMod	TPIC 2072REFX XD	113	2152	2809	4604
	24 x 48 Fix w/FixSlottedMetalMod	TPIC 2448REFX XD	88	1762	2254	3932
	24 x 60 Fix w/FixSlottedMetalMod	TPIC 2460REFX XD	110	1992	2565	4277
	24 x 72 Fix w/FixSlottedMetalMod	TPIC 2472REFX XD	126	2176	2833	4638
	30 x 48 Fix w/FixSlottedMetalMod	TPIC 3048REFX XD	103	1861	2395	4095
	30 x 60 Fix w/FixSlottedMetalMod	TPIC 3060REFX XD	128	2045	2661	4348
	30 x 72 Fix w/FixSlottedMetalMod	TPIC 3072REFX XD	146	2302	2998	4703
	Smooth Metal Modesty			1 1/4"	1 1/4"	1 1/4"
	20 x 48 Fix w/FixSmoothMetalMod	TPIC 2048REFXXO	78	1732	2224	3891
	20 x 60 Fix w/FixSmoothMetalMod	TPIC 2060REFXXO	98	1958	2531	4232
	20 x 72 Fix w/FixSmoothMetalMod	TPIC 2072REFXXO	113	2140	2797	4592
	24 x 48 Fix w/FixSmoothMetalMod	TPIC 2448REFXXO	88	1755	2247	3925
	24 x 60 Fix w/FixSmoothMetalMod	TPIC 2460REFXXO	110	1981	2555	4267
	24 x 72 Fix w/FixSmoothMetalMod	TPIC 2472REFXXO	126	2164	2821	4626
	30 x 48 Fix w/FixSmoothMetalMod	TPIC 3048REFXXO	103	1855	2389	4089
	30 x 60 Fix w/FixSmoothMetalMod	TPIC 3060REFXXO	128	2035	2650	4337
	30 x 72 Fix w/FixSmoothMetalMod	TPIC 3072REFXXO	146	2290	2986	4691

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Base Color
- 6 Additional Options



Finish Options

Chrome	\$ 158
Nickel	\$ 214
Powder Coat, Standard	n/c
Powder Coat, Premium	\$ 158
Platinum	\$ 469

Top Options

Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 115

Power + Data Options

See pages 630 - 634 or the Power + Data Price List

Wire Management Options

Troupe Legway Manager, Set of 2	WTPL	\$ 107
Basket, Under Top Mount	WBT	\$ 93
1 Oval Brush Grommet, Provide Location Print	WOG	\$ 93
1 Round Grommet, Provide Location Print	WRG	\$ 73

Accessories

Keyboard Platform w/Mouse Surface	AKP27M	\$ 730
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 227
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 149
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 149

Mini-Modesty Options

48" Length	ATPMM48	\$ 74
60" Length	ATPMM60	\$ 91
72" Length	ATPMM72	\$ 105



Questions?

800 876 2120

top >
edge >edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >edge ordering code (radius corner) >
or
edge ordering code (square corner) >
top thickness >
top thickness price >

Base Style	Table Description	Model #	Product Wt	Laminate PVC	Laminate Wood	Veneer Wood
	No Modesty			Flat  LP2R or LP2S 1 1/4"	Flat  LW2R or LW2S 1 1/4"	Flat  VW2R or VW2S 1 1/4"
				Fluted  LPF2R or LPF2S 1 1/4"	Fluted  LWF2R or LWF2S 1 1/4"	Fluted  VWF2R or VWF2S 1 1/4"
				1 1/4"	1 1/4"	1 1/4"
	20 x 48 Fix	TPIG 2048REFX	72	1325	1817	3484
	20 x 60 Fix	TPIG 2060REFX	91	1503	2076	3778
	20 x 72 Fix	TPIG 2072REFX	103	1602	2259	4054
	24 x 48 Fix	TPIG 2448REFX	82	1348	1840	3518
	24 x 60 Fix	TPIG 2460REFX	102	1526	2100	3812
	24 x 72 Fix	TPIG 2472REFX	116	1625	2282	4087
	30 x 48 Fix	TPIG 3048REFX	96	1447	1981	3681
	30 x 60 Fix	TPIG 3060REFX	120	1580	2195	3882
	30 x 72 Fix	TPIG 3072REFX	137	1751	2447	4152
	Slotted Metal Modesty					
	20 x 48 Fix w/FixSlottedMetalMod	TPIG 2048REFX XD	79	1546	2038	3705
	20 x 60 Fix w/FixSlottedMetalMod	TPIG 2060REFX XD	100	1776	2349	4050
	20 x 72 Fix w/FixSlottedMetalMod	TPIG 2072REFX XD	114	1960	2617	4411
	24 x 48 Fix w/FixSlottedMetalMod	TPIG 2448REFX XD	89	1569	2061	3739
	24 x 60 Fix w/FixSlottedMetalMod	TPIG 2460REFX XD	111	1799	2373	4085
	24 x 72 Fix w/FixSlottedMetalMod	TPIG 2472REFX XD	127	1983	2640	4445
	30 x 48 Fix w/FixSlottedMetalMod	TPIG 3048REFX XD	104	1669	2203	3903
	30 x 60 Fix w/FixSlottedMetalMod	TPIG 3060REFX XD	129	1853	2468	4155
	30 x 72 Fix w/FixSlottedMetalMod	TPIG 3072REFX XD	148	2109	2805	4511
	Smooth Metal Modesty					
	20 x 48 Fix w/FixSmoothMetalMod	TPIG 2048REFX XO	79	1539	2031	3698
	20 x 60 Fix w/FixSmoothMetalMod	TPIG 2060REFX XO	100	1765	2338	4040
	20 x 72 Fix w/FixSmoothMetalMod	TPIG 2072REFX XO	114	1948	2605	4399
	24 x 48 Fix w/FixSmoothMetalMod	TPIG 2448REFX XO	89	1563	2055	3733
	24 x 60 Fix w/FixSmoothMetalMod	TPIG 2460REFX XO	111	1788	2362	4074
	24 x 72 Fix w/FixSmoothMetalMod	TPIG 2472REFX XO	127	1971	2628	4434
	30 x 48 Fix w/FixSmoothMetalMod	TPIG 3048REFX XO	104	1662	2196	3896
	30 x 60 Fix w/FixSmoothMetalMod	TPIG 3060REFX XO	129	1842	2457	4145
	30 x 72 Fix w/FixSmoothMetalMod	TPIG 3072REFX XO	148	2098	2793	4499

To Order, Specify...

- 1 Model Number
- 2 Top Material
- 3 Edge Style and Thickness
- 4 Edge Color
- 5 Leg Color
- 6 Accent Color
- 7 Modesty Color
- 7 Additional Options

**Base Options**

	Code	Price
Self-Leveling Glides (4).....	GLD04	\$ 47

Finish Options

Chrome		\$ 158
Nickel		\$ 214
Powder Coat, Standard		n/c
Powder Coat, Premium		\$ 158
Platinum		\$ 469

Top Options

Special Laminate	TSP	call
Custom Cutout (per cutout)	TCC	\$ 115

Power + Data Options

See pages 630 - 634 or the Power + Data Price List

Wire Management Options

Troupe Legway Manager, Set of 2	WTPL	\$ 107
Basket, Under Top Mount	WBT	\$ 93
1 Oval Brush Grommet, Provide Location Print	WOG	\$ 93
1 Round Grommet, Provide Location Print	WRG	\$ 73

Accessories

Keyboard Platform w/ Mouse Surface	AKP27M	\$ 730
CPU Holder (3" - 9" adjustment)	ACPU3-9F	\$ 227
CPU Holder (5" - 8" adjustment)	ACPU5-8F	\$ 149
CPU Holder (3" - 5" adjustment)	ACPU3F	\$ 149
Table Floor Mount Bracket Set	AFB	\$ 54

Mini-Modesty Options

48" Length	ATPMM48	\$ 74
60" Length	ATPMM60	\$ 91
72" Length	ATPMM72	\$ 105

